

Featured Starter Kit

Peak is a wildly popular kit full of thoughtful defaults, blueprints, templates, using Statamic 3.3's new goodies.



Start out on top.

Super-charged boilerplate kit for developers who love Tailwind + Alpine

Hey 🖐️

**I'm Daniel Wentsch,
Freelance Developer
& Designer.**



I care about Accessibility, Typography, Sustainability and Joy of Use.

Started Photoshop 5 & selfHTML

I'm Daniel 🖐️ a freelance designer and developer from Freiburg, Germany.

Statamic since early 2021

👤 I'm an UX/UI-Designer and Front-of-the-Frontend Developer

🔧 My favorite tools include Tailwind CSS, Statamic CMS, Alpine JS and Figma

🌍 I care a lot about accessibility, typography and sustainability

✂️ I enjoy working at the intersection of design and code

❤️ I'm happily married and father of two wonderful kids, born 2017 and 2019

🌱 I'd like to live entirely vegan but am still failing at cheese

🦶 I like running barefoot

🏕️ I love being outdoors and vacation usually means camping

🧠 I'm spending too much time sorting notes and switching tools and systems for PKM

Building sites with with Statamic since Jan 2021




Daniel Wentsch @klickreflex@freiburg.social
@klickreflex

Working with @statamic is so much fun it severely lowers my tolerance for dealing with the competition.

9:04 AM · Jan 30, 2021 · Twitter Web App


before many others

- typo3/Neos waaaaa hellish
- wordpress meh
- Drupal okay at the time but upgrades, complexity,
- Bolt
- Craft



First Statamic Site without Peak

**Nothing
wrong,
but it
feels a
bit
*empty ...***





Peak

Page Builder

Content Blocks

CLI Commands

SEO Features

Cookie Banner

+++

Peak *immediately* clicked



Daniel Wentsch @klickreflex@freiburg.social
@klickreflex

Hi Rob 🙌 Just a quick thanks for releasing Peak to the public. It's one of those rare times when you find something immediately clicking and making a ton of sense. I can learn a lot to structure my projects better and that is worth a lot ❤️

10:22 AM · Mar 28, 2021 · Twitter Web App

- Robs opinions were pretty close to mine, this felt awesome
- But he's already put way more thought into practice

Intro

**What's a
Starter Kit
Anyway?**

*«Starter Kits are pre-built site packages that **jump-start** new Statamic sites with boilerplate code, features, functionality, and even **design.**»*



1. Build Site

**2. Create
starter_kit.yaml**

3. Export

4. Publish (optional)

5. Install



```
1 export_paths:
2   - .env.example
3   - .gitignore
4   - app/Actions/GenerateSocialImages.php
5   - app/Console/Kernel.php
6   - app/Console/Commands
7   - app/Http/Controllers/DynamicToken.php
8   - app/Http/Middleware/VerifyCsrfToken.php
9   - app/Http/Controllers/DynamicToken.php
10  - app/Http/Middleware/VerifyCsrfToken.php
11  - app/Http/Controllers/DynamicToken.php
12  - app/Http/Middleware/VerifyCsrfToken.php
13  - app/Http/Controllers/DynamicToken.php
14  - app/Http/Middleware/VerifyCsrfToken.php
15  - app/Http/Controllers/DynamicToken.php
16  - app/Http/Middleware/VerifyCsrfToken.php
17  - app/Http/Controllers/DynamicToken.php
18  - app/Http/Middleware/VerifyCsrfToken.php
19  - app/Http/Controllers/DynamicToken.php
20  - app/Http/Middleware/VerifyCsrfToken.php
21  - app/Http/Controllers/DynamicToken.php
22  - app/Http/Middleware/VerifyCsrfToken.php
23  - app/Http/Controllers/DynamicToken.php
24  - app/Http/Middleware/VerifyCsrfToken.php
25  - app/Http/Controllers/DynamicToken.php
```

- Works best/only with *new* sites
- Can be installed into an existing (blank) site or directly when installing Statamic with the CLI

Creation Process is:



Installation	Content	CLI Helpers	SEO	Global Goodies	Theme & Templates
What's a Starter Kit anyway?	Page Builder & Blocks	Install / Add Block	SEO Globals	Cookie Banner / Consent Manager	Structure
Interactive Installation	Bard Sets	Add Preset	Social Image Generation	Picture Partial	Vite
	Contact Form	Add Collection	SEO Tab on Entry	Favicons & Browser Appearance	NPM Dependencies
	Navigation	Add Set / Add Partial		Dashboard	Global Styling
	Social Icons	Clear Site		Custom 404 Page	
				Redirects	

- We've got a lot to cover
- Table of Content
- Broad overview, ask at the end




1902.studio

**Rob the
Kort**


- Who Created Peak?
- Rob de Kort
- Free of charge (donations welcome)
- super friendly and helpful

Installing Peak

Peak is curious and wants to know a bunch of things




- building a good `.env`
- creating a good `.gitignore`
- install the chosen page builder blocks



Backend Quick Tour

Content

Fieldsets



Peak ships a lot of fieldsets

Used in


- Globals
- Page Builder
- Bard sets

Page Builder & Blocks

```
1 title: 'Page Builder'
2 fields:
3   -
4     handle: page_builder
5     field:
6       type: replicator
7       localizable: true
8       collapse: true
9       listable: false
10      display: 'Page builder'
11      instructions: 'Build your page by using various predefined content models.'
12      sets:
13        article:
14          display: Article
15          instructions: 'Long form content, can be expanded with media like figures, video, quotes or tables.'
16          fields:
17            -
18              import: article
19          call_to_action:
20            display: 'Call to action'
21            instructions: 'Show a call to action.'
22            fields:
23              -
24                import: call_to_action
25          columns:
26            display: Columns
27            instructions: 'Text columns with optional images and buttons.'
28            fields:
29              -
30                import: columns
31          divider:
32            display: Divider
33            instructions: 'A visual divider between blocks.'
34            fields:
35              -
36                import: divider
37          form:
38            display: Form
39            instructions: 'Show a form.'
40            fields:
41              -
42                import: form
43          full_width_image:
44            display: 'Full width image'
45            instructions: 'A full width image with optional text and button(s).'
46            fields:
47              -
48                import: full_width_image
49          image_and_text:
50            display: 'Image and text'
51            instructions: 'An image and text side by side.'
52            fields:
53              -
54                import: image_and_text
```

Replicator field

Imports fieldsets



(Almost) Only the ones we opted in during installation are present

We opted in

freshpeak.test/cp/collections/pages/entries/20f6a148-63b8-47a8-9b0e-d57095d78c21

Preview

Pop out

Responsive

Save & Publish

Full width image

full width image with optional text and button(s).

ello Statamic Meetup

Justo non pulvinar lectus class magnis congue fames aliquet habitasse elementum arcu, ridiculus at fusce ac nostra scelerisque fringilla etiam ipsum ut vivamus commodo, lobortis montes id dignissim nec donec nascetur sollicitudin faucibus iaculis.

Buttons

Add button

Background image

a-peak.jpgSet Alt1.03 MB

Image and text

This is Otis


Images grid

Divider

visual divider between blocks.




Hello Statamic Meetup

Justo non pulvinar lectus class magnis congue fames aliquet habitasse elementum arcu, ridiculus at fusce ac nostra scelerisque fringilla etiam ipsum ut vivamus commodo, lobortis montes id dignissim nec donec nascetur sollicitudin faucibus iaculis.



This is Otis

Non vestibulum euismod orci scelerisque phasellus natoque Sagittis at a pellentesque mollis facilisi risus duis nunc dolor nisl est nisi, proin torquent orci porttitor hac curabitur lobortis odio commodo rutrum metus. Dictum urna ante.



MD

Edit

Bard Sets

Article

Long form content, can be ex

Article *

H¹

H²

H³

B

I

Buttons

Figure

Pull quote

Table

Video

Preview

Pop out

Responsive ▾

Save & Publish

H¹ H² H³ B I ≡ ≡ ” / 🔗 <> ⚙️ ↕

Table

Size

Norm

LG

XL

First row as header



Show the first row as header and give it a header styling.

First column as header



Show the first column as header and give it a header styling.

Table

	1	2	3	4	
...	lorem	ipsum	dolor	sit	...
...	eros	penatibus	parturient	nascetur	...
...	eleifend	mauris	Torquent me	Etiam ex	...
...	ftwt	ftf	ftft	ftftf	...

Add Row

Add Column

Caption

Add tables with a caption.

LOREM	IPSUM	DOLOR	SIT
EROS	penatibus	parturiunt	nascetur
	mauris	Torquent metus dis finibus odio fringilla facilisis euismod litora mauris eget sodales quis risus convallis penatibus condimentum volutpat integer laoreet	EtiamEx cras porttitor etiam bibendum ad facilisis est quam dolor sollicitudin commodo rutrum fames platea egestas sit erat blandit vehicula
FTWT	ftf	ftft	ftftf

Add tables with a caption.


Morbi a enim eleifend, dictum mauris eu, tincidunt nunc. In condimentum, nibh sit amet maximus semper, purus nulla blandit diam, eu dignissim leo diam in orci. Vivamus vehicula turpis in enim scelerisque maximus. Nulla et lacus quis dui tincidunt viverra. Etiam Etiam eros, dictum in dolor in, tincidunt sodales lorem. Quisque ullamcorper sagittis eleifend. Sed nisi erat, bibendum facilisis felis nec, maximus elementum est. Phasellus egestas, ante at bibendum porttitor, nulla urna pellentesque arcu, ut vulvar libero mauris at sapien. Maecenas lacinia arcu et diam venenatis eleifend. Ut vestibulum pharetra diam, eget eleifend diam tincidunt ac.

the Peak

Christian Mülhauser

 ME Edit

Contact Form



freshpeak.test/contact-form

PEAK

A contact form

This form works with static caching. Both the receiver and the website will receive a styled e-mail. Forms are dynamic field to the forms blueprint and it will work.

Name ^{*}

E-mail address ^{*}

Message ^{*}

The Message field is required.

Consent

☒ I agree that my submitted data is being collected and stored

Send

Live Validation

Works with Full Static Caching

```
<? _form.antlers.html resources/views/page_builder
31 <div class="form">
32     <div class="form-fields">
33         <template x-if="{{ show_field }}">
34 > <div class="{{ input_type == 'hidden' ? 'form-field-hidden' : 'form-field' }}">
63             </div>
64         </template>
65     </div>
66     <div class="form-submit">
67         <button type="submit" value="{{ submit_value }}">{{ submit_value }}</button>
68 > <div class="md:col-span-12 flex justify-end">
74         </div>
75         <template x-if="success">
76             {{ partial src="components/notification" }}
77         </template>
78     </div>
79     {{ /form:create }}
80 </div>
81
82 {{# The form script handling validation and submission
83 <script>
84     document.addEventListener('alpine:initializing', () => {
85         Alpine.data('sending', () => {
86             return {
87                 error: false,
88                 errors: [],
89                 sending: false,
90                 success: false,
91                 sendForm: async function() {
92                     this.sending = true
93                 }
94             }
95         })
96     })
97 </script>
```

Yay, HTML Email!



Dear Daniel,

Thanks for your message. We will contact you as soon

Kind regards,

Fresh Peak

Name:

Daniel

E-mail address:

hello@wentsch.me

Message:

Peak is the best!

Submitted Wed, 30 Nov 2022 22:24:27 +0

[Fresh Peak](#)

Navigation


Keyboard Accessible

Focus Trapping

Click Pattern


```
<?xml version="1.0" encoding="utf-8" ?>
<_main_mobile.antlers.html resources/views/navigation

6  <!-- /navigation/_main_mobile.antlers.html -->
7  <nav
8      x-data="{ mobileNavOpen: false }"
9      class="md:hidden"
10     aria-label="{{ trans:strings.main_navigation }}"
11     x-cloak
12 >
13     <button
14         @click.prevent="mobileNavOpen = !mobileNavOpen"
15         class="fixed bottom-0 right-0 z-20 flex items-center justify-center w-12 h-12"
16         :aria-label="
17             mobileNavOpen
18                 ? '{{ trans:strings.nav_close }}'
19                 : '{{ trans:strings.nav_open }}'
20         "
21         :aria-expanded="mobileNavOpen"
22         x-text="mobileNavOpen ? '{{ trans:strings.close }}' : '{{ trans:strings.open }}'"
23     ></button>
24
25     <div
26         class="fixed inset-0 z-10 pt-8 px-8 pb-12 flex flex-col justify-between"
27         x-show="mobileNavOpen"
28         x-trap.inert.noscroll="mobileNavOpen"
29     >
30         <ul class="flex flex-col py-2 space-y-4 overflow-auto">
31             {{ nav:main max_depth="2" include_home="true" selected_class="bg-gray-100" }}
32             <li
33                 {{ if children }}
34                 x-data="{ subnavOpen: false }"
35                 @focus.in.window="!$refs.subnav.contains($event.target)"
36             >
```



- Mobile & Desktop (from separate templates)
- On click pattern, keyboard accessible (with Alpine o

Social Icons



Globals with Icons


CLI Helpers

A Lot of "dumb" steps when creating

- Page Builder Blocks
- Collections
- Common features, i.e. News

Install Block

Installs prefab Page Builder Blocks



```
freshpeak on  main via  v16.15.0 via  v8.1.13
+ php please peak:install-block

Which blocks do you want to install into your page builder?
[0] Call to action: Show a call to action. [call to action]
[1] Collection: Show collection entries. [collection]
[2] Columns: Text columns with optional images
[3] Divider: A visual divider between blocks. [divider]
[4] Full width image: A full width image with optional text
[5] Index content: Render the currently mounted content
[6] Image and text: An image and text side by side
[7] Images grid: A multi row image grid. [images grid]
> 2,4,6

Peak page builder block 'Columns' installed.
Peak page builder block 'Full width image' installed.
Peak page builder block 'Image and text' installed.

freshpeak on  main [!?] via  v16.15.0 via  v8.1.13
+ 
```

Page Builder blocks that have not been chosen during installation can be added later.

Current Repository
freshpeak

Current Branch
main

Publish repository
Publish this repository to GitHub

Changes 7

History

resources/fieldsets/page_builder.yml

7 changed files

resources/fieldsets/columns.yml

resources/fieldsets/full_width_image.yml

resources/fieldsets/image_and_text.yml

resources/fieldsets/page_builder.yml

resources/views/page_builder/_columns.antlers.html

resources/views/page_builder/_full_width_image.antlers.html

resources/views/page_builder/_image_and_text.antlers.html

Summary (required)

Description

Commit to main

Committed 5 minutes ago
Initial

Undo

@@ -16,12 +16,30 @@ fields:

16 16 fields:

17 17 -

18 18 import: article

19 + columns:

20 + display: Columns

21 + instructions: 'Text columns with optional images and buttons.'

22 + fields:

23 + -

24 + import: columns

19 25 form:

20 26 display: Form

21 27 instructions: 'Show a form.'

22 28 fields:

23 29 -

24 30 import: form

31 + full_width_image:

32 + display: 'Full width image'

33 + instructions: 'A full width image with optional text and button(s).'

34 + fields:

35 + -

36 + import: full_width_image

37 + image_and_text:

38 + display: 'Image and text'

39 + instructions: 'An image and text side by side.'

40 + fields:

41 + -

42 + import: image_and_text

25 43 link_blocks:

26 44 display: 'Link blocks'


27 45 instructions: 'Show link blocks.'

Add Block


Create Custom Page Builder Blocks

```
freshpeak on  main via  v16.15.0 via  v8.1.13  
→ clear  
  
freshpeak on  main via  v16.15.0 via  v8.1.13  
→ php please peak:add-block  
  
What should be the name for this block?:  
> Slider  
  
What should be the instructions for this block?:  
> Add multiple images to appear in a carousel  
  
Peak page builder block 'Slider' added.  
  
freshpeak on  main [!?] via  v16.15.0 via  v8.1.13  
→
```

- ✓ **Fieldset creation**
- ✓ **Import import**
- ✓ **Template creation**



Just add & render fields



NEW Add Preset

Feature Packages

```
freshpeak on  main via  v16.15.0 via  v8.1.13
+ php please peak:install-preset

Which presets do you want to install into your s
[0] Events: A dated events collection with inde
events]
[1] FAQ: A FAQ collection with a page builder s
[2] News: A dated news collection with index an
]
> 1

Installed file: 'resources/blueprints/collections
Installed file: 'content/collections/faq.yaml'.
Installed file: 'resources/fieldsets/faq.yaml'.
Installed file: 'resources/views/page_builder/_fa
Installed file: 'resources/views/components/_ques
Installed page builder block: 'FAQ'.

Add this to your `config/statamic/cp.php` widgets

[
    'type' => 'collection',
    'collection' => 'faq',
    'width' => 50
],

Peak preset 'FAQ' installed.


freshpeak on  main [!?] via  v16.15.0 via  v8
→
```


✓ Collection

✓ Page
Builder

✓ Template

✓ Microdata





- Use the Page Builder Block to Select or Create entries within the FAQ Collection
- News and Events presets work similarly, but instead of a Page Builder block offer index and detail views

Add Collection

```
freshpeak on  main via  v16.15.0 via  v8.1.13
+ php please peak:add-collection

What should be the name for this collection?:
> Projects

Should this be a public collection with a route? (yes/no) [yes]:
>

Do you want to mount this collection on an entry? (yes/no) [yes]:
>

Do you want to create a new page to mount this collection on? (yes/no) [no]:
> yes

What should be the page title for this mount?:
> Projects

What should be the route for this collection? [{mount}/{slug}]:
>

What should be the layout file for this collection? [layout]:
>

Should revisions be enabled? (yes/no) [no]:
>

Should the sort direction be ascending? (yes/no) [yes]:
>

Should this be a dated collection? (yes/no) [no]:
>

Generate and apply index template? (yes/no) [yes]:
>

Generate and apply show template? (yes/no) [yes]:
>

Grant edit permissions to editor role? (yes/no) [yes]:
>

Collection 'Projects' created.

freshpeak on  main [!?] via  v16.15.0 via  v8.1.13 took 49s
+ 
```

Current Repository
freshpeak

Current Branch
main

Publish repository
Publish this repository to GitHub

Changes 9

History

resources/views/projects/index.antlers.html

2 + @name Projects index
3 + @desc The Projects index template.
4 +#{}
5 +
6 +<!-- /projects/index.antlers.html -->
7 +<main class="outer-grid" id="content">
8 + {{ page_builder scope="block" }}
9 + {{ partial src="page_builder/{type}" }}
10 + {{ /page_builder }}
11 +</main>
12 +<!-- End: /projects/index.antlers.html -->
13 +
14 +{{ section:index_content }}
15 + <!-- /projects/index.antlers.html -->
16 + <div class="fluid-container grid md:grid-cols-12 gap-12">
17 + {{ collection:projects sort="title" paginate="true" limit="10" as="items" }}
18 + {{ unless no_results }}
19 + {{ items }}
20 + <div class="md:col-span-6">
21 + {{ title }}
22 + </div>
23 + {{ /items }}
24 + {{ else }}
25 + <div class="md:col-span-6">
26 + {{ trans:strings.no_results }}
27 + </div>
28 + {{ /unless }}
29 + {{ partial:components/pagination class="md:col-span-12" }}
30 + {{ /collection:projects }}
31 + </div>
32 + <!-- End: /projects/index.antlers.html -->
33 +{{ /section:index_content }}

9 changed files

content/collections/pages/projects.md
content/collections/projects.yaml
resources/blueprints/collections/projects/projects.yaml
resources/fieldsets/index_content.yaml
resources/fieldsets/page_builder.yaml
resources/users/roles.yaml
resources/views/page_builder/_index_content.antlers.html
resources/views/projects/index.antlers.html
resources/views/projects/show.antlers.html


Summary (required)

Description

Commit to main

Committed 32 minutes ago
Install prefab blocks

Undo



Add Set / Partial

```
freshpeak on  main [!?] via  v16.15.0 via  v8
→ php please peak:add-set

What should be the name for this set?:
> Code Block

Peak page builder Article set 'Code Block' added.

freshpeak on  main [!?] via  v16.15.0 via  v8
→ php please peak:add-partial

What type of partial do you want to add?:
[0] Component
[1] Layout
[2] Typography
> 2

What should be the name for this partial?:
> preformatted

What should be the description for this partial?
> Used to render code snippets

Typography 'preformatted' added.

freshpeak on  main [!?] via  v16.15.0 via  v8
→
```

- Create partials in the appropriate folder (component, layout, typography)
- With Doc Block

Current Repository
freshpeak

Current Branch
main

↑

Publish repository

Publish this repository to GitHub

Changes 4

History

resources/fieldsets/article.yaml

4 changed files

✓ resources/fieldsets/article.yaml

✓ resources/fieldsets/code_block.yaml

✓ resources/views/components/_code_block.antlr.html

✓ resources/views/typography/_preformatted.antlr.html

↑

@@ -36,6 +36,11 @@ fields:

36 36 fields:

37 37 -

38 38 import: buttons

39 + code_block:

40 + display: 'Code Block'

41 + fields:

42 + -

43 + import: code_block

39 44 figure:

40 45 display: Figure

41 46 fields:

↓

Summary (required)


Description

Commit to main

Committed 36 minutes ago
Install prefab blocks

Undo

**Don't like the
CLI-generated
files?
Change the
Stubs!**



Clear Site

Remove all (!) content





Backup

- Delete all assets from the default asset container.
- Delete all entries but home.
- Clear the pagebuilder for the homepage.
- Clear the social media globals.
- Clear caches.

SEO

SEO Globals



- Set defaults and fallbacks
- Create Patterns for title tag and meta description
- Per-collection customization
- Load Trackers and Google Site verification
- Set environment in which trackers load

SEO per Entry

statamic

freshpeak.test/collections/pages/entries/20f6e4b-63b8-47ab-9b3e-d57095d78c

Search...

Pages

Long form content

Save & Publish

Main

SEO

BASIC

Basic SEO settings

Page title

This entry's title, defaults to title. Max 78 characters including the site name.

0/70

Meta description

This entry's meta description. Max 168 characters.

0/168

ADVANCED

Advanced SEO settings

No-index

☐

Instruct crawlers not to index this entry, also excludes it from the sitemap.xml.

No-follow

☐

Instruct crawlers not to follow links on this page.

Canonical URL

Where should the canonical URL, for this entry point to.

Current entry

Current domain

External domain

OPEN GRAPH

Open Graph meta tags for social sharing

Social title

This entry's OG title, defaults to custom SEO title and title.

Social description

This entry's OG description, defaults to meta description.

Live Preview

Visit URL

Published

☒

META

This entry's meta data.

Slug

Long-form-content

Parent

Home

statamic

freshpeak.test/collections/pages/entries/20f6e4b-63b8-47ab-9b3e-d57095d78c

Search...

OPEN GRAPH

Open Graph meta tags for social sharing

Social title

This entry's OG title, defaults to custom SEO title and title.

Social description

This entry's OG description, defaults to meta description.

Social image

This entry's OG image. Defaults to global site OG image. The recommended size is 1200px x 630px. The image will be focal cropped to this dimension.

Twitter image

This entry's Twitter image. Defaults to global site Twitter image. Images should have an aspect ratio of 2:1 with minimum dimensions of 280x127. This image will be focal cropped to this dimension.

SITEMAP

Sitemap configuration

Change frequency

Weekly

Priority

0.5

How often to instruct search engines to crawl.

Valid values range from 0.1 to 1.0. This value does not affect how your pages are compared to pages on other sites, it only lets the search engines know which pages you deem most important for the crawlers.

JSON-LD SCHEMA


Custom JSON-LD schema objects

JSON-LD schema

Custom JSON-LD objects. Will be wrapped in the appropriate script tag.

Social Image Generation

- Requires Browsershot, which requires Puppeteer



Install browsershot via composer

Install puppeteer via npm

Un-comment route in routes/web.php

Enable Generation

Generate

Use redis on production to queue

size: contain

```

3   @desc The social image component.
4   #}}
5
6   <!-- /components/_social_image.antlers.html -->
7   <div id="{{ selector }}" style="{{ style }}" class="relative p-
8       {{ get_content:id }}
9       <h1 class="flex flex-col text-7xl font-bold leading-cra
10          {{ og_title ?? seo_title ?? title }}
11      </h1>
12      <p class="text-xl text-neutral leading-loose max-w-[40c
13          {{ if og_description || seo_description }}
14              {{ og_description ?? seo_description }}
15          {{ elseif seo.collection_defaults }}
16              {{ partial:snippets/fallback_description }}
17          {{ /if }}
18      </p>
19      <div class="flex justify-end space-x-4">
20          {{ partial:components/logo class="w-64 h-auto" widt
21      </div>
22      {{ /get_content:id }}
23  </div>
24  <!-- End: /components/_social_image.antlers.html -->
25

```

Facebook

Long form content



FRESHPEAK.TEST

Yay I have a custom generated OG image

Adipiscing sagittis pellentesque lorem tristique aenean massa, convallis...

Twitter

Long form content




Yay I have a custom generated OG image

Adipiscing sagittis pellentesque lorem tristique aenean massa, convallis
lacus non etiam ante curabitur


freshpeak.test

Global Goodness


Cookie Banner / Consent Manager



- Directly embed Fathom or Plausible
- Embed Google Analytics or GTM (integrates with Google Consent API)
- Add your Consent handles and define scripts to execute once consent is given





Opt-in to Embedded Videos NEW



- Better GDPR compliance
- Works out of the box with the video set
- No connection to YouTube/vimeo prior to consent

Size: contain

y: bottom



Consent Overlay Styling



```
<?_video.antlers.html resources/views/components


26     </div> </div>
27     </div>
28     </div>
29     <div class="relative aspect-video">
30         <div {{ if cookie_embeds }}
31             <div
32                 x-show="!$store.cookieBanner.consent"
33                 class="absolute inset-0 z-10 flex items-center justify-center"
34             >
35                 <a @click.prevent="$store.cookieBanner.consent"
36                     {{ trans:strings.cookie_embeds_banner }}
37                 </a>
38             </div>
39         </div>
40         <iframe x-ref="iframe" class="absolute top-0 left-0 w-full h-full">
41         </div>
42
43         {{ partial:typography/caption }}
44
45         {{ if cookie_embeds }}
46             <div {{ once }}
47                 <script>
48                     document.addEventListener('alpine:init', () => {
49                         Alpine.data('embeds', () => {
```

Do whatever you want (e.e. add a preview image field to the video fieldset and show it in the overlay)

Picture Partial


```
1 {{ if image }}
2 {{ if asset :url="image" }}
3 {{# Configure aspect ratio's. #}}
4 {{ ratio = null }}
5 {{ ratio_large = null }}
6 {{ aspect_ratio | trim | explode(' ') }}
7 {{ if value | contains('large:') }}
8 {{ aspect = value | explode(':') | last }}
9 {{ ratio_large = (aspect | explode('/') | last) / (aspect | explode('/') | first) }}
10 {{ elseif value == '' }}
11 {{ ratio = (value | explode('/') | last) / (value | explode('/') | first) }}
12 {{ /if }}
13 {{ /aspect_ratio }}
14 {{ original_ratio = height / width }}
15
16 {{# Set Arcsset alize. #}}
17 {{ srcsets = [
18 [ 'width' => 320, 'ratio' => '{ ratio ?? original_ratio }' ],
19 [ 'width' => 480, 'ratio' => '{ ratio ?? original_ratio }' ],
20 [ 'width' => 640, 'ratio' => '{ ratio ?? original_ratio }' ],
21 [ 'width' => 768, 'ratio' => '{ ratio ?? original_ratio }' ],
22 [ 'width' => 1024, 'ratio' => '{ ratio_large ?? ratio ?? original_ratio }' ],
23 [ 'width' => 1280, 'ratio' => '{ ratio_large ?? ratio ?? original_ratio }' ],
24 [ 'width' => 1440, 'ratio' => '{ ratio_large ?? ratio ?? original_ratio }' ],
25 [ 'width' => 1536, 'ratio' => '{ ratio_large ?? ratio ?? original_ratio }' ],
26 [ 'width' => 1688, 'ratio' => '{ ratio_large ?? ratio ?? original_ratio }' ]
27 ] }}
28
29 <picture>
30 {{ if extension == 'svg' || extension == 'gif' }}
31 
41 {{ else }}
42 <source
43 arcsset="
44 {{ srcsets scope="size" }}
45 {{
46 glide image
47 width="{{ size.width }}"
48 height="{{ size.width * size.ratio }}"
49 .bg"bg"
50 .blur"blur"
51 .brightness"brightness"
52 .contrast"contrast"
```


- Sensible srcsets
- Optional Aspect Ratio with Focal Crop
- Zoom is respected if set
- Webp srcset with original format as fallback
- Used in all Peak image components
- Easy to use in own fiedets
- Takes image manipulation arguments and passes them to Glide



Picture Partial and Aspect Ratio

NEW







Otis Otterius


Arcu urna vehicula sit praesent turpis libero porttitor faucibus elementum hac conubia etiam, laoreet accumsan duis sociosqu neque lacus fringilla phasellus gravida eleifend.



Long form content

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Phasellus dictum, nisi vel tincidunt eleifend, diam risus tempor elit, at blandit ipsum ipsum vel felis. Morbi pulvinar erat sapien. Nam euismod dolor quis eros egestas, a hendrerit mi pharetra. Vestibulum varius dui sit amet augue auctor convallis. Maecenas imperdiet mauris non posuere dignissim. Duis tempus molestie efficitur. Donec efficitur leo vel justo dignissim ultrices. Morbi fermentum magna in purus dapibus euismod. Etiam lobortis odio lectus, eu blandit urna gravida

Favicons & Browser Appearance



freshpeak.test/cp/globals/browser_appearance#general

Search...

ic pro

freshpeak.test/long-form-content

Home

Globals

Browser appearance

General Favicons

UNIVERSAL

Configure universal meta tags.

Disable telephone detection

Disables phone number detection.

Disable e-mail detection


Disables e-mail address detection.

Disable address detection

Disables address detection.

ttterius

vehicula sit praesent turpis libero porttitor faucibus
m hac conubia etiam, laoreet accumsan dui sociosqu
us fringilla phasellus gravida eleifend.



THEME

Configure universal theme meta tags.

Use theme color

Enable if you want to specify theme colors for various browsers.

For dark mode

Enable if you want to specify a specific theme color for dark mode.

Theme color

Sets the theme color for Safari (iOS 15+ and MacOS 11.4+) and the Android Chrome browser.

Theme color dark mode

Sets the theme color for Safari (iOS 15+ and MacOS 11.4+) and the Android Chrome browser in dark mode.

Color meta tags.

Color picker

#FF0274 HEX Save Clear

ANDROID

Configure Android specific meta tags.

Android mobile web app

Opens websites saved to Android's homescreen in it's own Chrome instance.

Long form content

>Lorem ipsum dolor sit amet, consectetur adipiscing elit. **Phasellus dictum**, nisi vel tincidunt eleifend, diam risus tempor elit, at blandit ipsum ipsum vel felis. Morbi pulvinar erat sapien. Nam euismod dolor quis eros egestas, a hendrerit mi pharetra. Vestibulum varius dui sit amet augue auctor convallis. Maecenas imperdiet mauris non posuere dignissim. Duis tempus molestie efficitur. Donec efficitur leo vel justo dignissim ultrices. Morbi fermentum magna in purus dapibus euismod. Etiam lobortis odio lectus, eu blandit urna gravida at.


"Maecenas imperdiet mauris non posuere dignissim. Duis tempus molestie efficitur."

- Studio 1902

Mauris diam justo, gravida vitae lacinia in, mattis quis nibh. Orci varius natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Fusce semper nunc in tincidunt viverra. Interdum et malesuada fames ac ante ipsum primis in faucibus. Aenean

XL


Better Dashboard





Shows recent changes

promotes Accessibility by listing images without alt text

Custom 404 Page





Create a regular page

It'll show up as 404

Redirects

301 or 302 status

To internal or external

The screenshot shows the 'Redirections' management interface in Statamic Pro. The interface includes a search bar at the top, a 'Save' button, and a table of redirections. The table has columns for 'OLD URL', 'INTERNAL URL', 'EXTERNAL URL', and 'RESPONSE'. Two redirections are listed: one from '/some-old-link' to 'Long form content' (internal) and another from '/peak' to 'https://peak.1902.studio' (external). The second redirection is highlighted with a red arrow and the status '302'. Below the table, there are buttons for 'Add redirect', 'Create & Link Item', and 'Link Existing Item'. At the bottom, a footer message states 'site is using Statamic Pro. Make sure to buy a license before launching. Thanks!'. Annotations in red text and arrows point to the source and target URLs for both redirections, indicating the status (301 or 302) and the type of redirect (internal or external).

freshpeak.test/some-old-link
301
freshpeak.test/long-form-content

freshpeak.test/peak
302
peak.1902.studio

site is using Statamic Pro. Make sure to buy a license before launching. Thanks!

Theme & Templates

100% Tailwind & Alpine

```
<? _main_mobile.antlers.html resources/views/navigation

6 <!-- /navigation/_main_mobile.antlers.html -->
7 <nav
8     x-data="{ mobileNavOpen: false }"
9     class="md:hidden"
10    aria-label="{{ trans:strings.main_navigation }}"
11    x-cloak
12 >
13     <button
14         @click.prevent="mobileNavOpen = !mobileNavOpen"
15         class="fixed bottom-0 right-0 z-20 flex items-center justify-center"
16         :aria-label="
17             mobileNavOpen
18                 ? '{{ trans:strings.nav_close }}'
19                 : '{{ trans:strings.nav_open }}'
20         "
21         :aria-expanded="mobileNavOpen"
22         x-text="mobileNavOpen ? '{{ trans:strings.close }}' : '{{ trans:strings.open }}'"
23     ></button>
24
25     <div
26         class="fixed inset-0 z-10 pt-8 px-8 pb-12 flex flex-col justify-between"
27         x-show="mobileNavOpen"
28         x-trap.inert.noscroll="mobileNavOpen"
29     >
30         <ul class="flex flex-col py-2 space-y-4 overflow-auto">
31             {{ nav:main max_depth="2" include_home="true" selected_item="" }}
32             <li
33                 {{ if children }}
34                 x-data="{ subnavOpen: false }"
35                 @focus.in.window="!$refs.subnav.contains..."
```

- Remove and Adapt as you want
- No bloat, remove a partial and there are no leftovers

Views Structure

```
freshpeak/resources/views on / main [17]
- tree

components
├── _button.antlers.html
├── _buttons.antlers.html
├── _code_block.antlers.html
├── _cookie_banner.antlers.html
├── _figure.antlers.html
├── _logo.antlers.html
├── _notification.antlers.html
├── _pagination.antlers.html
├── _picture.antlers.html
├── _pull_quote.antlers.html
├── _search_form.antlers.html
├── _social_image.antlers.html
├── _table.antlers.html
├── _text.antlers.html
├── _theme_toggle.antlers.html
├── _toolbar.antlers.html
├── _video.antlers.html
└── default.antlers.html
email
├── form_owner.antlers.html
├── form_owner_text.antlers.html
├── form_sender.antlers.html
├── form_sender_text.antlers.html
└── form_sender_text.antlers.html
errors
├── 404.antlers.html
└── footer.antlers.html
layout
├── _header.antlers.html
├── layout.antlers.html
├── manifest
├── manifest.antlers.html
└── navigation
    ├── _breadcrumbs.antlers.html
    ├── _language_picker.antlers.html
    ├── _main.antlers.html
    ├── _main.desktop.antlers.html
    ├── _main.mobile.antlers.html
    └── _skip_to_content.antlers.html
page_builder
├── _article.antlers.html
├── _collection.antlers.html
├── _columns.antlers.html
├── _form.antlers.html
├── _full_width_image.antlers.html
├── _image_and_text.antlers.html
├── _link_blocks.antlers.html
├── search.antlers.html
├── sitemap
├── sitemap.antlers.xml
├── sitemap_index.antlers.html
├── sitemaps.antlers.html
├── snippets
├── _browser_appearance.antlers.html
├── _button_attributes.antlers.html
├── _fallback_description.antlers.html
├── _noscript.antlers.html
├── _seo.antlers.html
├── social_images.antlers.html
├── typography
├── _caption.antlers.html
├── _h1.antlers.html
├── _h2.antlers.html
├── _h3.antlers.html
├── _p.antlers.html
├── _preformatted.antlers.html
├── _prose.antlers.html
├── _time.antlers.html
└── vendor
    ├── static
    ├── forms
    ├── fields
    └── assets.antlers.html
```

Tailwind Breakpoints

Only on local environment

Long form content

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Phasellus dictum, nisi vel tincidunt eleifend, diam risus tempor elit, at blandit ipsum ipsum vel felis. Morbi pulvinar erat sapien. Nam euismod dolor quis eros egestas, a hendrerit mi pharetra. Vestibulum varius dui sit amet augue auctor convallis. Maecenas imperdiet mauris non posuere dignissim. Duis tempus molestie efficitur. Donec efficitur leo vel justo dignissim ultrices. Morbi fermentum magna in posuere dapibus euismod. Etiam lobortis odio lectus, eu blandit urna gravida at.

"Maecenas imperdiet mauris non posuere dignissim. Duis tempus molestie efficitur."

- Studio 1902

Mauris diam justo, gravida vitae lacinia in, mattis quis nibh. Orci varius natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Fusce semper nunc in tincidunt viverra. Interdum et



Tailwind Config Split



tailwind.config. typography.js

Set Tailwind Typography defaults

```
0: tailwind.config.typography.js
1: //
2:
3:
4:
5:
6:
7:
8:
9: const colors = require('tailwindcss/colors')
10: const plugin = require('tailwindcss/plugin')
11:
12: module.exports = {
13:   theme: {
14:     extend: {
15:       typography: (theme) => ({
16:         DEFAULT: {
17:           css: {
18:             '--tw-prose-body': theme('colors.neutral.DEFAULT'),
19:             '--tw-prose-headings': theme('colors.neutral.DEFAULT'),
20:             '--tw-prose-lead': theme('colors.neutral.DEFAULT'),
21:             '--tw-prose-links': theme('colors.neutral.DEFAULT'),
22:             '--tw-prose-bold': theme('colors.neutral.DEFAULT'),
23:             '--tw-prose-counters': theme('colors.neutral.DEFAULT'),
24:             '--tw-prose-bullets': theme('colors.neutral.DEFAULT'),
25:             '--tw-prose-hr': theme('colors.neutral.DEFAULT'),
26:             '--tw-prose-quotes': theme('colors.neutral.DEFAULT'),
27:             '--tw-prose-quote-borders': theme('colors.primary.DEFAULT'),
28:             '--tw-prose-captions': theme('colors.neutral.DEFAULT'),
29:             '--tw-prose-code': theme('colors.neutral.DEFAULT'),
30:             '--tw-prose-pre-code': theme('colors.white'),
31:             '--tw-prose-pre-bg': theme('colors.neutral.DEFAULT'),
32:             '--tw-prose-th-borders': theme('colors.neutral.DEFAULT'),
33:             '--tw-prose-td-borders': theme('colors.neutral.DEFAULT'),
34:             '--tw-prose-invert-body': theme('colors.white'),
35:             '--tw-prose-invert-headings': theme('colors.white'),
36:             '--tw-prose-invert-lead': theme('colors.white'),
37:             '--tw-prose-invert-links': theme('colors.white'),
38:             '--tw-prose-invert-bold': theme('colors.white'),
39:             '--tw-prose-invert-counters': theme('colors.white'),
40:             '--tw-prose-invert-bullets': theme('colors.white'),
41:             '--tw-prose-invert-hr': theme('colors.white'),
42:             '--tw-prose-invert-quotes': theme('colors.white'),
43:             '--tw-prose-invert-quote-borders': theme('colors.white'),
44:             '--tw-prose-invert-captions': theme('colors.white'),
45:             '--tw-prose-invert-code': theme('colors.white'),
46:             '--tw-prose-invert-pre-code': theme('colors.neutral.DEFAULT'),
47:             '--tw-prose-invert-pre-bg': theme('colors.white'),
48:             '--tw-prose-invert-th-borders': theme('colors.white'),
49:             '--tw-prose-invert-td-borders': theme('colors.white'),
50:             'ul > li > p, ol > li > p': {
51:               marginTop: '0em !important',
52:               marginBottom: '0em !important',

```

tailwind.config. peak.js

Root Styles

Responsive Typography

Breakpoint Helper

Container & Grid



```
0: tailwind.config.peak.js
// Implement the focus-visible polyfill: https://github.com/welby/focus-visible
35 '.js-focus-visible :focus:not(.focus-visible)': {
36   outline: 'none',
37 },
38 // Display screen breakpoints in debug environment.
39 '.breakpoint-before': {
40   display: 'block',
41   color: theme('colors.notice.900'),
42   textTransform: 'uppercase',
43   content: '" "',
44 },
45 // Sizing utilities for sets in our bard (long form content).
46 // On small devices they're full width.
47 '.size-md, .size-lg, .size-xl': {
48   gridColumn: 'span 12 / span 12',
49 },
50 > '@media screen(md)': {
51 },
52 > '@media screen(lg)': {
53 },
54 },
55 // Render screen names in the breakpoint display.
56 > plugin(function({ addBase, theme }) {
57 },
58 },
59 plugin(function({ addComponents, theme }) {
60   const components = {
61     // The main wrapper for all sections on our website. Has a max width and is centered.
62     '.fluid-container': {
63       width: '100%',
64       maxWidth: theme('screens.xl'),
65       marginLeft: 'auto',
66       marginRight: 'auto',
67       // Use safe-area-inset together with default padding for Apple devices with a notch.
68       paddingLeft: 'calc(env(safe-area-inset-left, 0rem) + ${theme('padding.8')}})',
69       paddingRight: 'calc(env(safe-area-inset-right, 0rem) + ${theme('padding.8')}})',
70     },
71     // The outer grid where all block builder blocks are a child of. Spreads out all blocks
72     // vertically with a uniform space between them.
73     '.outer-grid': {
74       width: '100%',
75       display: 'grid',
76       rowGap: theme('spacing.12'),
77       padding: theme('spacing.12'),
78     },
79   }
80   addBase(components)
81   addComponents(components)
82 }
```

Grid Sizing

size-md

size-lg


size-xl



tailwind.config.site.js

Individual site style

👉 Colors / type are not extended by default



```
0: tailwind.config.site.js
You, 5 hours ago | 1 author (You)
1 //-----
2 // Tailwind site configuration
3 //-----
4 //
5 // Use this file to completely define the current sites design system by
6 // adding and extending to Tailwinds default utility classes.
7 //
8
9 const defaultTheme = require('tailwindcss/defaultTheme')
10 const plugin = require('tailwindcss/plugin')
11 const colors = require('tailwindcss/colors')
12
13 module.exports = {
14   presets: [],
15   theme: {
16     // Here we define the default colors available. If you want to include
17     // all default Tailwind colors you should extend the colors instead.
18     colors: {
19       black: '#000',
20       white: '#fff',
21       // Neutrals: neutral colors, with a default fallback if you don't need shades. Always set a
22       neutral: {
23         DEFAULT: colors.slate['800'],
24         ...colors.slate
25       },
26       // Primary: primary brand color with a default fallback if you don't need shades. Always set a
27       primary: {
28         DEFAULT: '#ff0274',
29       },
30     },
31     extend: {
32       // Set default transition durations and easing when using the transition utilities.
33       transitionDuration: {
34         DEFAULT: '300ms',
35       },
36       transitionTimingFunction: {
37         DEFAULT: 'cubic-bezier(0.4, 0, 0.2, 1)',
38       },
39     },
40     // Remove the font families you don't want to use.
41     fontFamily: {
42       mono: [
43         // Use a custom mono font for this site by changing 'Anonymous' to the
44         // font name you want and uncommenting the following line.
45         // 'Anonymous',
46       ],
47     },
48   },
49 }
```

- Move colors and font settings to extend if Tailwind Defaults
- colors.primary and colors.neutral is the only deviation from default tailwind
- Used across many partials, should be set or search/replaced


npm Depen- dencies

```
1  "dependencies": {
2    "@alpinejs/collapse": "^3.10.5",
3    "@alpinejs/focus": "^3.10.5",
4    "@alpinejs/persist": "^3.10.5",
5    "alpinejs": "^3.10.5",
6    "focus-visible": "^5.2.0"
7  },
8  "devDependencies": {
9    "@tailwindcss/aspect-ratio": "^0.4.2",
10   "@tailwindcss/forms": "^0.5.3",
11   "@tailwindcss/typography": "^0.5.8",
12   "autoprefixer": "10.4.13",
13   "glob-all": "^3.3.1",
14   "laravel-vite-plugin": "^0.7.1",
15   "postcss": "^8.4.19",
16   "postcss-focus-visible": "^7.1.0",
17   "postcss-import": "^15.0.0",
18   "resolve-url-loader": "^5.0.0",
19   "tailwindcss": "^3.2.4",
20   "vite": "^3.2.4"
21 }
```


Vite

```
npm run dev
```

```
npm run  
build
```



I thought I was happy with Webpack / Mix. Until I tried Vite.
Especially when designing with code, fast instant feedback can't be overemphasized



Thanks

Stay in touch?

- @klickreflex@freiburg.social
- Peak Discord
- wentsch.me